



Big Air *inc.*

PYLONS • TOWERS • ACCESSORIES

www.bigairwaketowers.com.

Torrent Tower Quick Guide

(Rev A)

Big Air Waketowers Inc.

5305 Robert Lee Rd

Duncan, OK 73533

580-252-5314

Toll free: 855-252-5314

www.bigairwaketowers.com

Required Tools:

- Level
- 1. Tape measure
- 2. Variable Speed Drill
- 3. Metric Allen set
- 4. 9/16" Drill bit
- 5. 3/8" Drill bit



ASSEMBLY

1. Find the mounting location on the boat. You may even want to use the bottom bars as a guideline.
2. Place a gasket at one of the front mounting locations and use a pin or marker to mark through the hole on the gasket and onto your boat. Measure back approximately 66 inches, making sure to stay parallel with the boat trim line. Repeat on opposite side of boat.
3. Drill holes using a 9/16" drill bit and drill through the side of the boat **running the drill in reverse.** Chamfer holes using a mounted grinding ball/stone found at most hardware stores.
4. Assemble mounts onto boat as shown in image to the right. (*Make sure to follow detailed installation and instructions manual*)
5. Assemble the bottom bars.



6. Assemble the front legs.
7. Assemble the rear legs (plated section).
8. Slide legs into the Top Bar and center.
9. With the help of a friend, attach the front legs to the front mounts.
10. Attach the rear legs to the rear mounts.
11. Now make sure that the Top Bar is centered side to side. Do this by measuring from the edge of the Top Bar to the outer side of the corner of the leg.. *(Note: We recommend pulling the corners into the Top Bar with a ratchet strap. This helps preload the tower. You can do this by looping a ratchet strap around the two front legs and pulling them towards each other into the Top Bar.)*
12. Double check and tighten all bolts on the tower.

To lay the tower down:

If the rear mounts are completely parallel:

1. Unthread the hinge bolts $\frac{1}{2}$ turn.
2. Loosen the shoulder bolts in the swivels at the top and bottom of the rear leg assy.
3. You can release the top or the bottom of the rear legs.
4. Lower the tower into a resting position.